

Blizne Łaszczyńskiego 09.08.2021 r.

**Report on offer selection according to offer request
No. A/01/07/2021 dated 22.07.2021.**

Subject of the proceeding: execution of consulting and development services - subcontractor
Delivery of ozone concentration analyzer

Subject: realization of the project No. POIR.01.01.01-00-2606/20-00, entitled: "Innovative technology allowing precise ozone therapy supporting existing COVID-19 treatment protocols", financed by the Intelligent Development Operational Programme 2014-2020, Measure 1.1 "R&D projects of enterprises", Sub-measure 1.1.1 "Industrial research and development works realized by enterprises".

1) The method of the inquiry publishing:

- a. on the beneficiary's website: www.metrum.com.pl,
- b. invitation to bid sent via email to 3 potential suppliers, to the following addresses:
 - I. api-sales@teledyne.com
 - II. sales@twobtech.com
 - III. max.mayer@anseros.de

2) List of submitted bids with evaluation results:

Name (company) Offering party	Date of bid entry	Bid placement menthod	Points for the criterion "price" max 60	Points for the criterion "lead time" max 30	Points for the criterion "payment values" max 10	Total points received	Comments
2B Technologies	27.07.2021	E-mail	60	30	0	90,00 pkt	The contractor did not meet the required parameters for measurement of ozone concentration in the air in point d) - the offer does not meet the requirements specified in the in the offer request - offer rejected
ANSEROS	27.07.2021	E-mail	56,83	20	0	76,83 pkt	Meets the requirements of the offer request and is the most advantageous in terms of evaluation criteria contained in the request

3) Bid selection:

A As a result of bids evaluation, the Ordering Party chose the company's offer in the above mentioned proceedings:

ANSEROS – total price 22.955,06 PLN

Justification of the selection:

The above mentioned offer meets the requirements of the request for quotation and is the most advantageous in terms of the evaluation criteria included in the request for quotation i.e.:

- Submitted documents confirming fulfilment of the requirements of the inquiry regarding the subject matter of the contract i.e. required parameters for measurement of ozone concentration concentration in the air
- The statement about no personal and financial relation between the Offering party and the Ordering party (appendix no. 1 to the inquiry) has been filled in and signed.

4) Rejection of a bid:

The contracting authority, in the course of the procedure, rejected the tender submitted by the contractor:
2B Technologies

Reason for rejection of the offer:

Bid No. 1 submitted by 2B Technologies was rejected as not meeting the requirements specified in the offer request.

Information about the bidder selection will be made available on the website www.metrum.com.pl and sent to the Bidders who has submitted bids.



 **M C METRUM CRYOFLEX**

Spółka z ograniczoną odpowiedzialnością Sp. k.
ul. Zielna 29, PL 05-082 Blizne Łaszczyńskiego
tel. +48 22 33 13 750, fax +48 22 33 13 766
NIP: 527-23-20-862, REGON: 016446427